



- NOTES:**
- 1 ANGLE TO BE SUCH THAT LUS ARE SET VERTICALLY
 - 2 SUPPORT FRAME SHALL BE HOT-DIP GALVANISED AFTER FABRICATION
 - 3 THIS DRAWING SHALL BE READ IN CONJUNCTION WITH STANDARD DRAWINGS TC-2310, TC-2311 AND TC-2312
 - 4 STANDARD DRAWINGS SHOWN ARE INDICATIVE ONLY STRUCTURAL DETAILS SHALL BE DESIGNED BY A PRE-QUALIFIED CONSULTANT TO THE SATISFACTION OF VICROADS AND SHALL COMPLY WITH VICROADS' SPECIFICATION BRIDGE TECHNICAL NOTES (BTN'S) AND AS 5100 WHERE APPLICABLE
 - 5 LUS MOUNTING ARRANGMENT DETAILS TO BE DESIGNED TO THE SATISFACTION OF VICROADS

E			
D			
C			
B			
A	W H	12/2018	REMOVAL OF STRUCTURAL DETAIL
ISSUE	APP'D	DATE	AMENDMENT

GENERAL NOTES	
DESIGNED	M80 UPGRADE 07/2015
APPROVED	W HARVEY - MANAGER ITS INFRASTRUCTURE & SYSTEM 08/2015
CAT.	
PROJ.	
FILE	

CAT.	SCALE OF METRES
PROJ.	NTS
FILE	HOR VER

STANDARD DRAWING MANAGED MOTORWAY STRUCTURE MOUNTED LUMS ARRANGEMENTS MOUNTING FRAME TYPE 1 TYPICAL ARRANGEMENT				
FILE NO	CONTRACT NO	SHEET NO	DRAWING NO	ISSUE
			TC-2313	A