



GENERAL NOTES / CROSS REFERENCES:

1. ALL DIMENSIONS ARE IN mm.
2. TERMINALS MARKED "N" CROSS CONNECTED.
3. TERMINALS MARKED "BLUE" CROSS CONNECTED.
4. 2 KEYHOLES, 3.2mm RADIUS AND 6.3mm RADIUS, 9.5mm BETWEEN CENTRES.
5. RAIL 'A' TO BE DEBURRED AND FINISHED, AFTER CUTTING AND PUNCHING, THEN REPLATED AND PASSIVATED.
6. RAIL 'B' TO BE CUT 140mm LONG THEN REPLATED AND PASSIVATED.
7. TERMINALS 1-48 TO BE 4mm.
8. E.L.V. RETURN TERMINALS TO BE 6mm.
9. NEUTRAL AND EARTH TERMINALS TO BE CAPABLE OF ACCEPTING CONDUCTOR UP TO 10MM CROSS SECTIONAL AREA.

AMEND.	APP'D	DATE	AMENDMENT
A	S.B.	31.5.2010	INCREASE IN SIZE OF NEUTRAL AND EARTH TERMINALS

GENERAL NOTES/CROSS REFERENCES
UNSPECIFIED DIMENSIONS ARE IN mm

TRANSPORT SYSTEMS OPERATIONS
60 DENMARK STREET KEW, VICTORIA, 3101
PHONE (03) 9854 2111
FAX (03) 9854 2319

CHECKED *SP. 18/02/2000*
APPROVED *BH. 23/02/2000*
CAT:
PROJ:
FILE:

STANDARD DRAWING
vicroads
TERMINAL ASSEMBLY FOR USE WITH MA, JUMA AND JUP
SCALE OF METRES
HOR 0
VER 0
FILE NO. SPEC. REF. SHEET NO. DRAWING NO. AMEND.
TC-1128 A