

NOTES:


1. COLUMN DESIGN CONFORMS TO: - AS 1170.2/1989
- AS 1250/1981
- AS 1538/1988
2. WELDING CONFORMS TO: - AS 1554/1985
3. GALVANISING CONFORMS TO: - AS 1650/1989
4. MAX SAIL AREA OF CAMERA = 0.2m²
5. MAX WEIGHT OF CAMERA = 36kg (COLUMN BALANCED TO 23kg)
6. MAX DEFLECTION 50mm FOR WIND SPEED OF 38m/s
7. COLUMNS TO BE SUPPLIED IN ONE PIECE AND BE COMPLETE WITH PROVISION FOR: - RAISING/LOWERING ROPE ANCHORAGE.
8. COLUMN TO BE SUPPLIED WITH AN ALLEN KEYED M16 x 50mm BOLT (VANDAL RESISTANT) FOR RIGID CLAMPING AND SECURED BY CONVENTIONAL PADLOCK.

THIS DRAWING SUPERSEDES NO. 417195 (IN PART)

STANDARD DRAWING

CAMERA COLUMN -
10m MID-HINGE

GENERAL NOTES / CROSS REFERENCES
1. DIMENSIONS ARE IN mm UNLESS OTHERWISE STATED
2. THIS DRAWING NOT TO SCALE.



TRAFFIC SYSTEM OPERATION

E			
D			
C			
B			
A	PA	11/5/99	DETAIL B ADDED
AMEND.	Appd.	DATE	AMENDMENTS

CHECKED	DATE	APPROVED	DATE	SPEC. REF.	SHEET No.	DRAWING No.	AMENDMENT
J. RANDALL	21/12/95	B. HEARN	21/12/95			TC-2012	A
T. S. O. MAASAGER							