


**NOTES**

- 1 PIT ACCESS COVER AND FRAME TO COMPLY WITH AS 3996 - CLASS B UNSEALED (STANDARD) ANT TO BE TYPE APPROVED WITH SOLID TOP OR RECESSED WITH CONCRETE OR OTHER FILL
- 2 INSCRIPTIONS ON THE COVER ARE TO BE CAST, IMPRESSED OR AFFIXED BY AN APPROVED METHOD AND BE OF HIGH DURABILITY AND LEGIBILITY UNLESS OTHERWISE SPECIFIED. THE TEXT SHALL BE IN UPPER CASE LETTERING MINIMUM 20 HIGH THE REQUIRED INSCRIPTION MUST BE SPECIFIED WHEN ORDERING  
 INSCRIPTION "A" OPTIONS:  
 "A1" = "VICROADS"  
 "A2" = "OTHER INSCRIPTION AS SPECIFIED"  
 INSCRIPTION "B" OPTIONS:  
 "B1" = "ELECTRICAL" or "ELEC"  
 "B2" = "COMMUNICATIONS" or "COMMS"  
 "B3" = "TRAFFIC SIGNALS" or "TRAFF SIG"  
 "B4" = "OTHER INSCRIPTION AS SPECIFIED"
- 3 PIT LID TOP SURFACE SHALL MEET SKID RESISTANCE REQUIREMENTS FOR CLASS X AS DETAILED IN TABLE 2 OF AS/NZS 4586 FOR SLIP RESISTANCE CLASSIFICATION OF NEW PEDESTRIAN SURFACE MATERIALS
- 4 REINFORCEMENT RINGS 750 DIA AND 900 DIA WIRE WITH EIGHT LIGATURE

E			
D			
C			
B			
A	W H	12/2018	REVISION OF DETAIL
ISSUE	APP'D	DATE	AMENDMENT

GENERAL NOTES

DESIGNED	M80 UPGRADE	07/2015
APPROVED	W HARVEY - MANAGER ITS INFRASTRUCTURE & SYSTEM 08/2015	
CAT:	SCALE OF METRES N T S	
PROJ:	HOR	VER
FILE:		



<b>STANDARD DRAWING</b> MANAGED MOTORWAY				
<b>PIT INSTALLATION ARRANGEMENTS</b> CABLE PIT ACCESS COVER, FRAME AND CONCRETE SURROUND - 750mm DIA				
FILE NO	CONTRACT NO	SHEET NO	DRAWING NO	ISSUE
			TC-2217	A