



PLAN  
NTS



ANCHOR PLATE ASSEMBLY - PLAN  
NTS



SECTION A  
NTS

**NOTES**

- 1 REINFORCEMENT TO BE HOT ROLLED DEFORMED BARS, GRADE 500N AND SHALL BE IN ACCORDANCE WITH AS/NZS 4671
- 2 REINFORCEMENT BARS SHOWN ARE DIAGRAMMATIC ONLY.
- 3 ALL HOOKS, BENDS AND COGS ARE STANDARD AND SHALL BE IN ACCORDANCE WITH AS 5100 5 BRIDGE DESIGN
- 4 ALL ANCHOR PLATES TO BE TACK WELDED TOGETHER
- 5 CONCRETE WORKS AND TESTING AS PER STANDARD SECTION 610
- 6 STANDARD DRAWINGS SHOWN ARE INDICATIVE ONLY STRUCTURAL DETAILS SHALL BE DESIGNED BY A PRE-QUALIFIED CONSULTANT TO THE SATISFACTION OF VICROADS AND SHALL COMPLY WITH VICROADS' SPECIFICATION BRIDGE TECHNICAL NOTES (BTN'S) AND AS 5100 WHERE APPLICABLE

E			
D			
C			
B			
A	WH	12/2018	REMOVAL OF STRUCTURAL DETAIL
ISSUE	APP'D	DATE	AMENDMENT

GENERAL NOTES	
---------------	--

DESIGNED	M80 UPGRADE	07/2015
APPROVED	W HARVEY - MANAGER ITS INFRASTRUCTURE & SYSTEM 08/2015	
CAT:	SCALE OF METRES	
PROJ:	NTS	
FILE	HOR	VER



<b>STANDARD DRAWING</b> MANAGED MOTORWAY				
<b>CABINET AND POST FOUNDATIONS</b> TYPICAL VLSL POLE SPREAD FOOTING				
FILE NO	CONTRACT NO	SHEET NO	DRAWING NO	ISSUE
			TC-2233	A