



LEGEND

CONDUIT SPECIFICATION (TO AS 2053)
 E63 = ELECTRICAL (ORANGE) HEAVY DUTY CONDUIT 63 DIA
 (FOR SUPPLY FROM POWER COMPANY POS)
 E50 = ELECTRICAL (ORANGE) HEAVY DUTY CONDUIT 50 DIA

NOTES

- 1 FOUNDATION TO BE DESIGNED IN ACCORDANCE WITH AS5100 TO SUIT GROUND AND SITE CONDITIONS
- 2 FOR HOLD DOWN BOLT DETAILS, REFER TO STANDARD DRAWING TC-1601
- 3 FOR POLE AND BRACKET DETAILS, REFER TO STANDARD DRAWING TC-2220
- 4 STANDARD DRAWINGS SHOWN ARE INDICATIVE ONLY STRUCTURAL DETAILS SHALL BE DESIGNED BY A PRE-QUALIFIED CONSULTANT TO THE SATISFACTION OF VICROADS AND SHALL COMPLY WITH VICROADS' SPECIFICATION BRIDGE TECHNICAL NOTES (BTN'S) AND AS 5100 WHERE APPLICABLE

| | | | |
|-------|-------|---------|------------------------------|
| E | | | |
| D | | | |
| C | | | |
| B | | | |
| A | W H | 12/2018 | REMOVAL OF STRUCTURAL DETAIL |
| ISSUE | APP'D | DATE | AMENDMENT |

GENERAL NOTES

DESIGNED M80 UPGRADE 07/2015
 APPROVED W HARVEY - MANAGER
 ITS INFRASTRUCTURE & SYSTEM 08/2015

CAT: PROJ: FILE: HOR: VER: SCALE OF METRES NTS

STANDARD DRAWING
 MANAGED MOTORWAY
CABINET AND POST FOUNDATIONS
 RC3 / TT3 POLE SPREAD FOOTING TYPE 2
 TYPICAL ARRANGEMENT

| | | | | |
|---------|-------------|----------|------------|-------|
| FILE NO | CONTRACT NO | SHEET NO | DRAWING NO | ISSUE |
| | | | TC-2236 | A |