



VLS POST - FRONT ELEVATION
1:20




VIEW A
1:20




UPPER MOUNTING ASSEMBLY

DETAIL 1
1:5



UPPER MOUNTING BRACKET

DETAIL 2
1:5



SECTION B
1:5

LEGEND:

- DATA COMMUNICATIONS CABLE
- DATA POWER CABLE

NOTES:

1. COMMUNICATIONS AND POWER CABLES BETWEEN GANTRY AND SIGN TO BE RUN INSIDE WEATHERPROOF FLEXIBLE CONDUIT WITH MATCHING WEATHERPROOF GLANDS.
2. UPPER MOUNTING ASSEMBLY SHALL PROVIDE A MINIMUM OF 6 No. 16mm TERMINALS FOR POWER CABLES.
3. UPPER MOUNTING ASSEMBLY SHALL PROVIDE A MINIMUM OF 10 No. 2.5mm TERMINALS FOR COMMUNICATIONS CABLES.

SDATES \$MODEL\$NAMES \$STIMES\$ \$FILES\$

ISSUE	APP'D	DATE	AMENDMENT
E			
D			
C			
B			
A			

GENERAL NOTES	

DESIGNED	M80 UPGRADE	07/2015
APPROVED	W. HARVEY - MANAGER	
	ITS INFRASTRUCTURE & SYSTEM 08/2015	
CAT:		
PROJ:		
FILE:		

SCALE OF METRES AS SHOWN

STANDARD DRAWING MANAGED MOTORWAY			
ELECTRICAL AND COMMUNICATIONS NETWORK WIRING ARRANGEMENTS			
VLS POLE WIRING - TYPICAL ARRANGEMENT			
FILE NO.	CONTRACT NO.	SHEET NO.	DRAWING NO.
			TC-2243
			ISSUE