





PLAN



SECTION A-A



STEP IRON DETAILS

NOTES:

1. STEP IRONS IN DRAINAGE PITS ARE OPTIONAL AND SHALL BE SUBJECTED TO THE ASSESSMENT OF THE REGIONAL OFFICE RESPONSIBLE FOR DESIGN, CONSTRUCTION AND MAINTENANCE OF THE DRAINAGE SYSTEM.
2. STEEL FOR STEP-IRONS SHALL BE STRUCTURAL GRADE 250 TO AS3679 PART 1.
3. FOR PRECAST PITS, STEP IRONS SHALL BE LOAD TESTED TO AS4198/1994.

ISSUE	APP'D	DATE	AMENDMENT
E			
D			
C	J . K	1/7/05	NOTE 3 AMENDED
B	J . B	1/8/02	IRON STEP HEIGHT NOW 375. ALSO NOTE 4 & 5 AMENDED.
A	J . C	SEPT94	AMENDMENTS TO NOTES 3, 4 & 6, GENERAL NOTE 3.

GENERAL NOTES
 1. UNHAUNCHED PITS
 2. HAUNCHED PITS
 3. ALL DIMENSIONS ARE IN MILLIMETRES

SD 1011
 SD 1021

DESIGNED PRINCIPAL ROAD
 DESGN ENGINEER

APPROVED 16.9.94
J Cunningham

CATALOG PRED
 PROJECT sddgnnew
 FILENAME sd-1041b.dgn



3 PROSPECT HILL ROAD,
 CAMBERWELL,
 VICTORIA, 3124
 PHONE NO. (03) 9811 8355
 FAX NO. (03) 9811 8329

SCALE HOR NOT TO SCALE
 OF METRES VER

STANDARD DRAWING
 STEP IRONS

FILE NO.	CONTRACT NO.	SHEET NO.	DRAWING NO.	ISSUE
			SD 1041	C

SD1041 30/03/2022 5:35:19 PM