




NOTES:

1. THE BRIDGE ANCHORAGE DEPENDS ON TYPE OF BRIDGE BARRIER USED. FOR DETAILS REFER SD 4081 AND SD 4082.
2. LOCAL VERGE WIDENING MAY BE REQUIRED AT PITS AND BREAKAWAY CABLE TERMINALS (BCTA'S).
3. A REVERSED SECTION OF CURVED GUARD FENCE WITHOUT A STRAIGHT PROVIDES 600mm OFFSET. EACH ADDITIONAL 5m LENGTH OF STRAIGHT BETWEEN CURVED SECTIONS ADDS 625mm TO THE OFFSET.
4. BACKING RAIL, 300 LONG, WITH GUARD RAIL PROFILE, SHALL BE PROVIDED AT ALL INTERMEDIATE POSTS.



ISSUE	APP'D	DATE	AMENDMENT
E			
D	J.K.	1/7/05	REFERENCE TO SD 3571 & 3541 ADDED & TITLE AMENDED
C	J.B.	1/7/01	POST ORIENTATION NOTE AND DIRECTION OF TRAFFIC ADDED BREAK ADDED IN GUARD FENCE LOWER DWG.
B	J.C.	OCT'99	REDEFINED GUARD FENCE NOT WARRANTED
A	R.G.	FEB 94	BRIDGE ANCHORAGE, DASHED SECTION OF GUARD FENCE AND GENERAL NOTES 1,3 AND 6.

GENERAL NOTES

1. GUARD FENCE - BRIDGE ANCHORAGE SD 4081 AND SD 4082.
2. BREAKAWAY CABLE TERMINALS SD 3541 TO SD 3561.
3. GUARD FENCE - LOCATION SD 3501 AND SD 3502
4. GUARD FENCE (LINE A) SD 3511
5. GUARD FENCE (LINE B) SD 3521
6. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS SHOWN OTHERWISE.

DESIGNED  
PRINCIPAL ROAD  
DESIGN ENGINEER

APPROVED  
*Ross Green* 24.2.94

CATALOG: PRED  
PROJECT: sddgnew

ENGINEERING & TECHNOLOGY CONSULTANTS

COMPUTER FILE: sd-4071d.dgn  
SCALE OF METRES: HOR NOT TO SCALE  
VER

STANDARD DRAWING  
GUARD FENCE  
LAYOUTS FOR BRIDGE APPROACHES

FILE NO.	CONTRACT NO.	SHEET NO.	DRAWING NO. SD 4071	ISSUE D
----------	--------------	-----------	------------------------	------------