



ISSUE	APP'D	DATE	AMENDMENT
D	D.C	5/14	NOTES AND SCALE AMENDED



**WIRE ROPE SAFETY BARRIER
AT MEDIAN OPENING**

NOTES

- EMERGENCY MEDIAN CROSSINGS PREFERABLY SHOULD BE DESIGNED IN ACCORDANCE WITH AUSTRROADS GUIDE TO ROAD DESIGN PART 3 SECTION 7.3. THE DETAILS ON THIS DRAWING ONLY APPLY TO THE SITUATION WHERE SPACE IS LIMITED AND SUPPORTING SAFETY MEASURES ARE PROVIDED, INCLUDING BUT NOT LIMITED TO;
 - LOCATING THE CROSSOVER ON SAGS OR STRAIGHTS WHERE SIGHT DISTANCE IS GREATEST,
 - LOCATING THE CROSSOVER ON GRADIENTS SUFFICIENT FOR EMERGENCY VEHICLES TO MERGE WITH TRAFFIC,
 - SEALED AREA FOR DECELERATION AND VEHICLE (MULTI-POINT) TURNING MOVEMENT,
 - ADVANCED WARNING SO DRIVERS MAY RECOGNISE THE OPENING FROM AT LEAST 300m IN EITHER DIRECTION, AND
 - A SLOPE OF 10:1 BETWEEN THE MEDIAN OPENING AND THE MEDIAN INVERT (MEASURED LONGITUDINALLY).
- TRAFFIC LANE OFFSETS SHALL BE IN ACCORDANCE WITH SECTION 4.2.2 OF RDN 06-02.
- MINIMUM WIDTH BETWEEN BARRIER SHALL BE 4.0m.
- PAVEMENT SUBJECT TO SUPERINTENDENT APPROVAL.



PLAN

VicRoads Drawing No. 720280

REFERENCES AND NOTES:
 1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS SHOWN OTHERWISE
 2. SAFETY BARRIERS SHALL BE VICROADS ACCEPTED PRODUCTS IN ACCORDANCE WITH RDN 06-04.
 3. SAFETY BARRIER TERMINOLOGY, SHORTHAND AND GENERAL REQUIREMENTS SHALL BE IN ACCORDANCE WITH SD 3500.

VICROADS SUPPLEMENT TO AUSTRROADS GUIDE
 AUSTRROADS GUIDE TO ROAD DESIGN PART 3
 AUSTRROADS GUIDE TO ROAD DESIGN PART 4
 RDN 06-02 USE OF WIRE ROPE SAFETY BARRIER
 RDN 06-04 VICROADS ACCEPTED SAFETY BARRIER PRODUCTS

TECHNICAL SERVICES
 3 PROSPECT HILL ROAD
 CAMBERWELL
 VICTORIA 3124
 PHONE (03) 9811 8355
 FAX (03) 9811 8329



ROAD SAFETY BARRIERS
EMERGENCY MEDIAN CROSSING
WITH WIRE ROPE SAFETY BARRIER

NOT TO SCALE	APPROVED J.BYRDEN	SD NO. 4/7/02 SD 4302	ISSUE D
--------------	----------------------	-----------------------------	------------